



architectural
arealighting

kick™

CONTEMPORARY URBAN LUMINAIRES

The advertisement is split into two pages. The left page (page 4) features a close-up, low-angle shot of a modern, rectangular luminaire fixture. The fixture is dark and has a series of small, illuminated LED chips along its length. The background is dark, making the light from the fixture stand out. The right page (page 5) has a light, textured background with a pattern of thin, parallel lines. It contains text and a quote. The overall aesthetic is clean, modern, and professional.

KickTM

CONTEMPORARY URBAN LUMINAIRES

Sleek design, contemporary style, simplicity, high performance optical system

“Contemporary Design”
delivers high performance lighting where it matters most.

ADVANCED LED TECHNOLOGY

Contemporary

Design

Sleek Design

The simplicity of the patent pending fully shielded optical system is at the heart of Kick™ and what makes its slim design possible. It eliminates glare from most viewing angles with 0% uplight. This unique optical design hides the LEDs when viewing the luminaire from behind. The recessed optical system delivers up to an impressive 12,880 lumens in a controlled, high performance, energy efficient and scalable package for the ultimate premium lighting solution.



Flexible mounting options provide directional light sources.

Simplicity, eliminating glare from most angles.

2

sizes

- K4 small
K41 | K42 | K43 | K44
- K5 medium
K51 | K52 | K53 | K54

3

optical finishes

Standard white. Option: may choose matte black (MO), or match fixture color (FO).

- | | |
|--|--|
| MO
Matte black finish for 0% uplight | FO
Fixture finish for appearance |
|--|--|

3

mountings

- Integral Pole**
PS410-125 | PS412-125 | PS414-125 | PS416-125 | PS418-125 | PS420-125 | PS510-188 | PS512-188 | PS514-188 | PS516-188 | PS518-188 | PS520-188 |
- Tenon Mount**
TA23
- Side Mount**
SMK

Design Process

Optics

3

optics

T2 type 2

T3 type 3

T4 type 4

3

color temperatures

3000 K

4200 K

5100 K

4

light engines

K5: 12000 series 9000 series

K4: 7000 series 5000 series


2

controls

MCPR Multi-Channel Photocell Receptacle.

WIH Wireless ready for HBA wiHUBB.

Up to 12,880 delivered lumens. up to 103 lumens per watt



high performance • energy efficient

AWARDS

KicK Shines: Recipient of 7
Prestigious Product Awards

- 2014 Architectural Products PIA
- 2014 Architectural Record Products Award
- 2014 IES Progress Report
- 2015 NGL Outdoor Recognition, Parking Lot Pedestrian Scale.
- 2015 LFI Design Excellence Award
- 2015 LFI Best of Category Parking, Roadway, and Area Luminaires
- 2015 ADEX Gold Award



APPLICATIONS



Contemporary design and form combine to deliver high performance lighting where it matters most.

The essence of the lower profile LED luminaire has evolved to the next generation with Kick™. The integration of the pole and luminaire in one bold angular design brings power and emotion into architectural site lighting. Kick™ combines a handsome timeless day form and night-time precision optics to deliver a truly elegant low glare experience for pedestrian scale solutions on walkways, building entrances, and paths.



ORDERING

MODEL	OPTICS	OPTICAL FINISH		LIGHT ENGINE		CONTROL	MOUNTING		MOUNTING OPTIONS		FIXTURE FINISH	
		T2	MD	K5	K4		Integral Pole	Integral Pole	Twin Mount	Pole Accessories	AWT	VBL
K51	K41	T2	MD	12000 Series	7000 Series	MCPB	K5	K4	Twin Mount		AWT	VBL
K52	K42	T3	FO	12050	7050	SCP*	PS510-188	PS410-125	TS8		ATG	WRZ
K53	K43	T4		12040	7040		PS512-188	PS412-125	TS10	GFI	BLK	RAL/Premium
K54	K44			12030	7030		PS514-188	PS414-125	TS12	RBC	BRM	Custom Color
				3000 Series	5000 Series		PS516-188	PS416-125	TS14	DRB	CRT	
				9050	5050		PS518-188	PS418-125	TS16		DGN	
				9040	5040		PS520-188	PS420-125	TS18		DBZ	
				9030	5030						LGY	
											MAL	
											MDG	
											MTB	

Descriptions

Fixture

K51 5' wide single fixture
 K52 5' wide two fixtures 180° apart
 K53 5' wide three fixtures 90° apart
 K54 5' wide four fixtures 90° apart
 K41 4' wide single fixture
 K42 4' wide two fixtures 180° apart
 K43 4' wide three fixtures 90° apart
 K44 4' wide four fixtures 90° apart

Distribution

T2 Typ-2 distribution
 T3 Typ-3 distribution
 T4 Typ-4 distribution

Optical Finish

Standard white
 Option: match case mate black (MD), or
 match fixture color (FO)

MD: Matte black, optical surfaces

FO: Optical surfaces to match fixture finish

Light Engine

K5 12050 141 watts, 5000K CCT
 12040 141 watts, 4000K CCT
 12030 141 watts, 3000K CCT
 9050 100 watts, 5000K CCT
 9040 100 watts, 4000K CCT
 9030 100 watts, 3000K CCT
 K4 7050 75 watts, 5000K CCT
 7040 75 watts, 4000K CCT
 7030 75 watts, 3000K CCT
 5050 54 watts, 5000K CCT
 5040 54 watts, 4000K CCT
 5030 54 watts, 3000K CCT

Control

Optional: match case use
 MCPB: DALI C136 41 7-pin receptacle
 SCP*: Sensor Control Programmable

* Pole accessories are available to provide
 occupancy detection for a variety of
 applications meeting California Title 24
 For complete spec sheet and ordering
 information, visit www.aal.net or email
sales@aal.net / programmable@aal.net

Mounting

K5 Integral Pole
 PS510-188 10' luminaire height
 PS512-188 12' luminaire height
 PS514-188 14' luminaire height
 PS516-188 16' luminaire height
 PS518-188 18' luminaire height
 PS520-188 20' luminaire height
 K4 Integral Pole
 PS410-125 10' luminaire height
 PS412-125 12' luminaire height
 PS414-125 14' luminaire height
 PS416-125 16' luminaire height
 PS418-125 18' luminaire height
 PS420-125 20' luminaire height
 T223 Twin mount
 SMK Side mount Kick

Mounting Options

Twin mount at staggered heights
 Mounting also for a fixture at 180°
 K51-PS5... only, match case use
 TS8 8' from bottom
 TS10 10' from bottom
 TS12 12' from bottom

TS14 14' from bottom
 TS16 16' from bottom
 TS18 18' from bottom

Pole Accessories
 Optional: match case use
 GFI GFI Receptacle
 RBC Integral Receptacle
 DRB Duplex Receptacle

Fixture Finish
 AWT Arctic White
 ATG Antique Brass
 BLK Black

BRM Bronze Metallic
 CRT Cream
 DGN Dark Green
 DBZ Dark Bronze
 LGY Light Grey
 MAL Matte Aluminium
 MDG Medium Grey
 MTB Matte Black
 VBL Vespa Blue
 WRZ Weathered Bronze
 RAL/PREMIUM COLOR
 CUSTOM COLOR



HUBBELL
Lighting

701 Millennium Blvd.
Greenville, SC 29607
hubbellighting.com

ALERA LIGHTING

ARCHITECTURAL AREA LIGHTING

BEACON PRODUCTS

COLUMBIA LIGHTING

COMPASS PRODUCTS

DEVINE LIGHTING

DUAL-LITE

HUBBELL BUILDING AUTOMATION

HUBBELL INDUSTRIAL LIGHTING

HUBBELL OUTDOOR LIGHTING

KIM LIGHTING

KURT VERSEN

LITECONTROL

PRESCOLITE

PROGRESS LIGHTING

SPAULDING LIGHTING

SPORTSLITER SOLUTIONS

STERNER

WHITEWAY

